Veriton X5220G











SPECIFICATIONS	Tower/ Small Form Factor	Veriton X5220G

Operating system ⁴	Windows 10 64-bit Linux OS	
CPU and chipset ¹	Chipset: AMD B560 PRO Chipset	AMD Picasso series (R3 , R5) AMD Matisse (R5, R7)
Memory ^{4, 5, 6,8}	32GB / 16 GB / 8 GB / 4 GB DDR4 2400 MHz UDIMM • 2DIMM Slots up to 64 GB of Dual-channel DDR4 2400 / 2666 N	MHz
Storage	Hard disk drive • Supports upto 2 TB / 1 TB / 500 GB 3.5-inch 7200 RPM • Supports upto 512 GB ssd 2.5- inch	
Optical media drive	16X DVD-RW drive / 24X DVD-RW drive	
Audio	Integrated high-definition audio controller	
Communication	LAN – Gigabit Ethernet WLAN	
Expansion slot(s)	1x PCIe x16 slot 1x PCIe x1 slot	1 x M. 2 slot WIFI 1 x M.2 slot for SSD
I/O Ports	Front: 2 USB2.0, 2 USB 3.1 Gen 1 Rear: 2 USB2.0, 1 USB 3.1 Gen 1, 1 USB Type C 1 Serial Port – Optional 1 Parallel Port – Optional 1 VGA, 1 HDMI	
	Audio Ports: Front: 1Mic, 1Speaker out Rear: 1Line in, 1Line out, 1Mic	
Security	HW TPM v2.0 (Optional) Kensington lock slot	
Dimensions	330 (H) x 100 (W) x 287.7 (D) mm - SFF	
Power Supply	SFF Chassis: 250W – 85% Efficiency	
System Certifications	Windows 10, Energy star, FCC, UL, EPEAT Bronze	
Options and accessories	USB keyboard 104 keys and USB mouse USB Heavy duty Keyboard (optional), USB Mechanical Keyboard(optional) Wireless Keyboard and Mouse (Optional) Antivirus (Mcafee) 1 yr / 3 yr Graphics Card 512MB/ 1 GB / 2 GB	
Ryzen and Pinnacle ri Specifications vary de 3. 64-bit software is requ 4. A 64-bit operating sys 5. Memory speed may 6. 1 GB is 1 billiom by ve materials and operatin disk capacity as dedic 7. Total available graphi	idge processors require dedicated Graphics card pending on model. irred to enjoy the advantages of 64-bit processing. tem is required to enjoy the ultimate performance of 4 GB or higher memory. ary, depending on the CPU, chipset or memory fitted. Actual formatted capacity is less and may vary depending on preloaded ag environment. Recovery Management uses a portion of the stated hard ated backup space. cs memory comprises dedicated video memory, system memory, and shared figure will vary depending on system memory, installed drivers, BIOS	 For systems with a dual-channel configuration, the two memory modules inserted must be identical, including raw card, size, type, and speed.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region. As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2018. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.